

BAA008 Matematika I (G)

Derivace složené funkce

11.2.2. $f : y = \frac{1}{\sqrt{1+\cos x}} - \frac{1}{\sqrt{2}} \ln \sqrt{\frac{\sqrt{2} + \sqrt{1+\cos x}}{\sqrt{2} - \sqrt{1+\cos x}}} + \cos^2 \left(\frac{\pi}{2} - 1 \right)$

$$\begin{aligned} y &= \frac{1}{\sqrt{1+\cos x}} - \frac{1}{\sqrt{2}} \ln \sqrt{\frac{\sqrt{2} + \sqrt{1+\cos x}}{\sqrt{2} - \sqrt{1+\cos x}}} + \cos^2 \left(\frac{\pi}{2} - 1 \right) = \\ &= \frac{1}{\sqrt{1+\cos x}} - \frac{1}{2\sqrt{2}} (\ln(\sqrt{2} + \sqrt{1+\cos x}) - \ln(\sqrt{2} - \sqrt{1+\cos x}) + \cos^2 \left(\frac{\pi}{2} - 1 \right)) \end{aligned}$$

$$\begin{aligned} y' &= -\frac{1}{2}(1+\cos x)^{-\frac{3}{2}}(-\sin x) - \frac{1}{2\sqrt{2}} \left(\frac{(1+\cos x)^{-\frac{1}{2}}(-\sin x)}{2(\sqrt{2} + \sqrt{1+\cos x})} - \frac{-(1+\cos x)^{-\frac{1}{2}}(-\sin x)}{2(\sqrt{2} - \sqrt{1+\cos x})} \right) = \\ &= \frac{\sin x}{2(1+\cos x)\sqrt{1+\cos x}} + \frac{1}{4\sqrt{2}} \left(\frac{\frac{\sin x}{\sqrt{1+\cos x}}}{\sqrt{2} + \sqrt{1+\cos x}} + \frac{\frac{\sin x}{\sqrt{1+\cos x}}}{\sqrt{2} - \sqrt{1+\cos x}} \right) = \\ &= \frac{\sin x}{2(1+\cos x)\sqrt{1+\cos x}} + \frac{1}{4\sqrt{2}} \left(\frac{\frac{\sin x(\sqrt{2}-\sqrt{1+\cos x})}{\sqrt{1+\cos x}} + \frac{\sin x(\sqrt{2}+\sqrt{1+\cos x})}{\sqrt{1+\cos x}}}{2 - 1 - \cos x} \right) = \\ &= \frac{\sin x}{2(1+\cos x)\sqrt{1+\cos x}} + \frac{1}{2 \cdot 2\sqrt{2}} \left(\frac{2\sqrt{2}\sin x}{(1-\cos x)\sqrt{1+\cos x}} \right) = \\ &= \frac{\sin x(1-\cos x) + \sin x(1+\cos x)}{2(1+\cos x)(1-\cos x)\sqrt{1+\cos x}} = \frac{2\sin x}{2(1-\cos^2 x)\sqrt{1+\cos x}} = \frac{\sin x}{\sin^2 x \sqrt{1+\cos x}} = \\ &= \frac{1}{\sin x \sqrt{1+\cos x}} \end{aligned}$$